



**2021
DEALER
PRICING**

2% OFF C.O.D.
* **ASSEMBLED** *
* **FREE FREIGHT** *

T - (330) 624-2311 F - (330) 624-1111
Email: sales@shdist.com www.shdist.com

YACHT CLUB PONTOON TRAILERS - STANDARD "PTB" SERIES - BUNK SUPPORT

- **TONGUE JACK**
- **DELUXE WINCH STAND W/STEPS, HANDRAIL**
- **DROP CENTER CROSS MEMBERS**
- **HEAVY DUTY 2" x 5" FRAME**
- **LOW PROFILE SUSPENSION**
- **NMMA, NATM CERTIFIED**
- **FULLY WELDED FRAME TO TONGUE ASSY**
- **GREASE ZERKS ON ALL HUBS**

POWDER COATED BLACK FRAME

Model	Axles/ Brakes	Tube Length	Overall Length	Carrying Capacity	Trailer Weight	Pontoon Width	Tire Size
PTB2045T	2/1 Drum	18-20	25' 10"	4500	1020	8' - 8'6"	145/R12E
PTB2245T	2/1 Drum	20-22	27' 10"	4500	1030	8' - 8'6"	145/R12E
PTB2445T	2/1 Drum	22-24	29' 10"	4500	1040	8' - 8'6"	145/R12E

HOT-DIP GALVANIZED FRAME

PTB2045TG	2/1 Drum	18-20	25' 10"	4500	1020	8' - 8'6"	145/R12E
PTB2245TG	2/1 Drum	20-22	27' 10"	4500	1030	8' - 8'6"	145/R12E
PTB2445TG	2/1 Drum	22-24	29' 10"	4500	1040	8' - 8'6"	145/R12E

CONVENIENCE PACKAGES

CP145-12	Spare (145/R12E), Side Mount Carrier, Retractable Tie-Downs 2"
CP205-14P	Spare (205/14C), Side Mount Carrier, Retractable Tie-Downs 2"

"PTB" SERIES OPTIONS

Part #	DESCRIPTION
RTD2	Retractable Tie-Downs - 2" - installed
TJUP-DW	Swivel Jack - 1500 lb - Double Wheel - Upgrade
TJUP-PAD	Drop Leg Pad Jack - 2500 lb - Upgrade
TRIKIT-7	all PTB's, Tri-Tube Kit w/2 brackets, 7' bunks & hdwr
TRIKIT-7G	all PTB's, Tri-Tube Kit w/2 brackets, 7' bunks & hdwr - Galv
TRIKIT	PTB22 thru PTB28 Dlx TT Kit w/3 brackets, 12' bunks & hdwr
TRIKITG	PTB22 thru PTB28 Dlx TT Kit w/3 brackets, 12' bunks & hdwr - Galv
PB10DRUM	Add 10" Drum Brakes to 2nd Axle (4500 lb)
PB10DRUMG	Add 10" Drum Brakes to 2nd Axle (4500 lb) - Galv
PB10UPDISC	10" Disc Brake Upgrade - in lieu of Drum (n/a w/12" tires)
PB10UPDISCG	10" Disc Brake Upgrade - in lieu of Drum (n/a w/12" tires) - Galv
SGPTB-7	Load Guides - 7' betw. tubes carpeted bunk w/4 upright brkts
SGPTB-7G	Load Guides - 7' betw. tubes carpeted bunk w/4 upright brkts - Galv
SGPTB-IG	Add (4) 12" Inner Guide Bunks to SGPTB-7 to protect center tube
SHY2916	2nd Winch Stand Grab Handle
SHY2916G	2nd Winch Stand Grab Handle - Galv
145/12 UP	Alum Wheels (not stainless steel lugs or caps) Upgrade - per axle
205/14A UP	Alum Wheels, Radial Tires, Stainless Lugs & Caps Upgr - per axle
	Spare Tire:
SH871	145/R12 LRE Tire: Radial Rim: Silver
SH862	205/75D14 LRC Tire: Bias Ply Rim: Silver
SH1605	Side Mount Spare Tire Carrier, 5 lug, up to 5" frame

OTHER OPTIONS ON ACCESSORIES PAGE

SHADED MODELS ARE KEPT IN STOCK @ SH DISTRIBUTING

SH Distributing is not responsible for trailers that do not meet brake requirements for the state in which the trailer is sold.

**YACHT CLUB PONTOON TRAILERS - DELUXE "PB" SERIES
TRIPLE TUBE BUNK SUPPORT STANDARD 8000 lb CAPACITY TRAILERS**

- **TONGUE JACK**
 - **DELUXE WINCH STAND W/STEPS, HANDRAIL**
 - **DROP CENTER CROSS MEMBERS**
 - **SUPER HD 3" x 5" FRAME**
 - **LOW PROFILE SUSPENSION**
 - **POLY WRAPPED BUNKS**
 - **LED LIGHTS**
 - **TEARDROP FENDERS**
 - **FULLY WELDED FRAME TO TONGUE ASSY**
 - **GREASE ZERKS ON ALL HUBS**
 - **NMMA, NATM CERTIFIED**
 - **5600, 8000 w/ALUM WHEELS, RADIAL TIRES**
- (teardrop fenders n/a 2680, 2880, 3080 triple axle)
- **NEW!! STANDARD FEATURE ON 5600 & 8000 PB'S - ALUMINUM WHEELS / RADIAL TIRES (AR)**

POWDER COATED BLACK FRAME

Model	Axles/ Brakes	Tube Length	Overall Length	Carrying Capacity	Trailer Weight	Pontoon Width	Tire Size
PB2050T	2/1 Drum	18-20	25' 10"	5000	1020	8' - 8'6"	175/80D13D
PB2056T	2/1 Disc	18-20	25' 10"	5600	1040	8' - 8'6"	185/R13 alum
PB2250T	2/1 Drum	20-22	27' 10"	5000	1030	8' - 8'6"	175/80D13D
PB2256T	2/1 Disc	20-22	27' 10"	5600	1050	8' - 8'6"	185/R13 alum
PB2450T	2/1 Drum	22-24	29' 10"	5000	1040	8' - 8'6"	175/80D13D
PB2456T	2/1 Disc	22-24	29' 10"	5600	1060	8' - 8'6"	185/R13 alum
PB2656T	2/1 Disc	24-26	31' 10"	5600	1110	8' - 8'6"	185/R13 alum
PB2680TR	3/3 Disc	24-26		8000	1165	8' - 8'6"	185/R13 alum
PB2856T	2/1 Disc	26-28	33' 10"	5600	1040	8' - 8'6"	185/R13 alum
PB2880TR	3/3 Disc	26-28		8000	1195	8' - 8'6"	185/R13 alum
PB3056T	2/2 Disc	28-30	35' 10"	5600	1170	8' - 8'6"	185/R13 alum
PB3080TR	3/3 Disc	28-30		8000	1230	8' - 8'6"	185/R13 alum

HOT-DIP GALVANIZED FRAME

PB2050TG	2/1 Drum	18-20	25' 10"	5000	1020	8' - 8'6"	175/80D13D
PB2056TG	2/1 Disc	18-20	25' 10"	5600	1040	8' - 8'6"	185/R13 alum
PB2250TG	2/1 Drum	20-22	27' 10"	5000	1030	8' - 8'6"	175/80D13D
PB2256TG	2/1 Disc	20-22	27' 10"	5600	1050	8' - 8'6"	185/R13 alum
PB2450TG	2/1 Drum	22-24	29' 10"	5000	1040	8' - 8'6"	175/80D13D
PB2456TG	2/1 Disc	22-24	29' 10"	5600	1060	8' - 8'6"	185/R13 alum
PB2656TG	2/1 Disc	24-26	31' 10"	5600	1110	8' - 8'6"	185/R13 alum
PB2680TRG	3/3 Disc	24-26		8000	1165	8' - 8'6"	185/R13 alum
PB2856TG	2/1 Disc	26-28	33' 10"	5600	1040	8' - 8'6"	185/R13 alum
PB2880TRG	3/3 Disc	26-28		8000	1195	8' - 8'6"	185/R13 alum
PB3056TG	2/2 Disc	28-30	35' 10"	5600	1170	8' - 8'6"	185/R13 alum
PB3080TRG	3/3 Disc	28-30		8000	1230	8' - 8'6"	185/R13 alum

* 8,000 lb capacity PB's come standard with a TRIKIT; 5,600's & 2680 w/12' bunks, 2880 & 3080 w/6' & 10' bunks

CONVENIENCE PACKAGE

CP175-13P/BT Spare (175/80D13C), Side Mount Carrier, Retractable Tie-Downs 2"

CP185-13PA/BA Spare (185/80D13D), Side Mount Carrier, Retractable Tie-Downs 2"

SHADED MODELS ARE KEPT IN STOCK @ SH DISTRIBUTING



**2021
DEALER
PRICING**

**2% OFF C.O.D.
* ASSEMBLED *
* FREE FREIGHT ***

T - (330) 624-2311 F - (330) 624-1111
Email: sales@shdist.com www.shdist.com

10' WIDE KITS

PB24-10WK	PB24 - Width Extension Bars for 10 Bunk Brkts (10' wide)
PB24-10WKG	PB24 - Width Extension Bars for 10 Bunk Brkts (10' wide) - Galv
PB2628-10WK	PB26, PB28 - Width Ext Bars for 12 Bunk Brkts (10' wide)
PB2628-10WKG	PB26, PB28 - Width Ext Bars for 12 Bunk Brkts (10' wide) - Galv
PB30-10WK	PB30 - Width Extension Bars for 14 Bunk Brkts (10' wide)
PB30-10WKG	PB30 - Width Extension Bars for 14 Bunk Brkts (10' wide) - Galv

"PB" SERIES OPTIONS

Part #	DESCRIPTION
RTD2	Retractable Tie-Downs - 2" - installed
TJUP-DW	Swivel Jack - 1500 lb - Double Wheel - Upgrade
TJUP-PAD	Drop Leg Pad Jack - 2500 lb - Upgrade
TRIKIT-7-PB	all PB's, Tri-Tube Kit w/2 brackets, 7' bunks
TRIKIT-7G-PB	all PTB's, Tri-Tube Kit w/2 brackets, 7' bunks & hdwr - Galv
TRIKIT-PB	PB22 & > Dlx Tri-Tube Kit w/3 brackets, 12' bunks (std on 8K lb models)
TRIKITG-PB	PB22 & > Dlx Tri-Tube Kit w/3 brkts, 12' bunks (std on 8K lbs) - Galv
TRIEXT	Extended Rear Center Frame w/36" bunks - for longer center tube
TRIEXTG	Extended Rear Center Frame w/36" bunks - for longer center tube - C
PB10DRUM	Add 10" Drum Brakes to 2nd Axle (4400 lb)
PB10DRUMG	Add 10" Drum Brakes to 2nd Axle (4400 lb) - Galv
PB10UPDISC	10" Disc Brake Upgrade - in lieu of Drum (n/a w/12" tires)
PB10UPDISCG	10" Disc Brake Upgrade - in lieu of Drum (n/a w/12" tires) - Galv
PB10DISC	Add 10" Disc Brakes to 2nd Axle - up to 14" wheels
PB10DISCG	Add 10" Disc Brakes to 2nd Axle - up to 14" wheels - Galv
SGPTB-7	Load Guides - 7' betw. tubes carpeted bunk w/4 upright brkts
SGPTB-7G	Load Guides - 7' betw. tubes carpeted bunk w/4 upright brkts - Galv
SGPTB-IG	Add (4) 12" Inner Guide Bunks to SGPTB-7 to protect center tube
SHY2916	2nd Winch Stand Grab Handle
SHY2916G	2nd Winch Stand Grab Handle - Galv
175/13A UP	Alum Wheels, Radial Tires, Stainless Lugs & Caps Upgr - per axle
	175/80D13D Tire: Bias Ply Rim: Silver
	185/80R13D Tire: Radial Rim: Aluminum
SH1605	Side Mount Spare Tire Carrier, 5 lug, up to 5" frame

OTHER OPTIONS ON ACCESSORIES PAGE

SH Distributing is not responsible for trailers that do not meet brake requirements for the state in which the trailer is sold.

T - (330) 624-2311 F - (330) 624-1111
Email: sales@shdist.com www.shdist.com

SHORE HAVEN PONTOON TRAILERS - BUNK SUPPORT

- **TONGUE JACK**
- **ADJUSTABLE AXLE**
- **METAL FENDERS**
- **DLX WINCH STAND W/STEPS, HANDRAIL**
- **NATM CERTIFIED**
- **GREASE ZERKS ON ALL HUBS**

POWDER COATED BLACK FRAME

Model	Axles/ Brakes	Tube Length	Overall Length	Carrying Capacity	Trailer Weight	Pontoon Width	Tire Size
SPB2023	1/0	18-20	25'	2240	750	8' - 8'6"	145/R12E
SPB2035T	2/0	18-20	25'	3480	920	8' - 8'6"	175/80D13C
SPB2035T-D	2/1	18-20	25'	3480	920	8' - 8'6"	175/80D13C
SPB2035T-DD	2/2	18-20	25'	3480	920	8' - 8'6"	175/80D13C
SPB2244T-D	2/1	20-22	27'	4395	1045	8' - 8'6"	175/80D13C
SPB2244T-DD	2/2	20-22	27'	4395	1045	8' - 8'6"	175/80D13C
SPB2256T-D	2/1	20-22	27'	5595	1045	8' - 8'6"	185/80D13D
SPB2256T-DD	2/2	20-22	27'	5595	1045	8' - 8'6"	185/80D13D
SPB2444T-D	2/1	22-24	29'	4365	1075	8' - 8'6"	175/80D13C
SPB2444T-DD	2/2	22-24	29'	4365	1075	8' - 8'6"	175/80D13C
SPB2456T-D	2/1	22-24	29'	5565	1075	8' - 8'6"	185/80D13D
SPB2456T-DD	2/2	22-24	29'	5565	1075	8' - 8'6"	185/80D13D
SPB2644T-D	2/1	24-26	31'	4335	1105	8' - 8'6"	175/80D13C
SPB2644T-DD	2/2	24-26	31'	4335	1105	8' - 8'6"	175/80D13C
SPB2656T-D	2/1	24-26	31'	5535	1105	8' - 8'6"	185/80D13D
SPB2656T-DD	2/2	24-26	31'	5535	1105	8' - 8'6"	185/80D13D

* SPB20's have 2 x 4 frame, 3 x 5 tongue, all others have 2 x 5 frame, 3 x 5 tongue

Upgrade
UPGRADE FEATURES

A (145/12)	Alum Wheels (not stainless steel lugs or caps) Upgrade - per axle
A (175/13)	Alum Wheels, Radial Tires, SS Lugs & Caps Upgrade - per axle
A (185/13)	Alum Wheels, Radial Tires, SS Lugs & Caps Upgrade - per axle

CONVENIENCE PACKAGES

CP145-12	Spare (145/R12E), Side Mount Carrier, Retractable Tie-Downs 2"
CP175-13P/BT	Spare (175/80D13C), Side Mount Carrier, Retractable Tie-Downs 2"
CP185-13P/BT	Spare (185/80D13D), Side Mount Carrier, Retractable Tie-Downs 2"

SHORE HAVEN OPTIONS

Part #	OPTIONS
RTD2	Retractable Tie-Downs - 2" - installed
SLG-2	Guide-Ons - Single Post (pair)
SLG-4	Guide-Ons - Single Post (2 pair)
PBW20,22,24	Poly Bunk Wrap - installed (2) 16', 18', 20' bunks
PBW26	Poly Bunk Wrap - installed (2) 22' bunks
TRIKIT	SPB2035T thru SPB2656T Dlx TT Kit w/3 brackets, 12' bunks & hdw
PBW-TRIKIT	Poly Bunk Wrap - Trikit - installed (2) 12' bunks
SWING5-BRK	Fulton Swing Tongue, 5", Brakes - installed
SH871	145/R12RE Tire: Radial Rim: Silver
SH860	175/80D13C Tire: Bias Ply Rim: Silver
SH1211	185/80D13D Tire: Bias Ply Rim: Silver
SH1604	U-Bolt Spare Carrier (to 3" wide, 4" tall frame/tongue w/13" wheel)
SH1605	Side Mount Spare Tire Carrier, 5 lug, up to 5" frame
SH1605-6	Side Mount Spare Tire Carrier, 5 or 6 lug, > 5" frame / tongue

SHADED MODELS ARE KEPT IN STOCK @ SH DISTRIBUTING

SH Distributing is not responsible for trailers that do not meet brake requirements for the state in which the trailer is sold.

PERSONAL WATERCRAFT TRAILERS - BUNK SUPPORT

· FULLY WELDED FRAME TO TONGUE ASSY · GREASE ZERKS ON ALL HUBS · NMMA, NATM CERTIFIED

YACHT CLUB POWDER COATED BLACK FRAME

Model	Axles/ Brakes	Unit Capacity	Overall Length	Carrying Capacity	Trailer Weight	Between Fender	Tire Size
WC110*	1/0	1	12' 4"	1200	240	50	4.80x12B
WC112	1/0	1	14' 3"	1200	240	50	4.80x12B
WC115	1/0	1	14' 3"	1500	290	52	175/80D13D
WC216	1/0	2	15' 3"	1570	360	83	5.30x12C
WC224	1/0	2	16' 7"	2400	575	83	175/80D13D
WC228	1/1	2	16' 7"	2800	635	83	175/80D13D
WC456T	2/2 disc	4	29	5600	1040	83	185/R13 alum

* WC110 model is designed for Sea Doo Spark or similar personal watercraft units

· FULLY WELDED FRAME TO TONGUE ASSY · GREASE ZERKS ON ALL HUBS · NATM CERTIFIED

SHORE HAVEN POWDER COATED BLACK FRAME

SWC112	1/0	1	13' 1"	1200	240	46	4.80x12B
SWC222	1/0	2		2200			145/R12E

· FULLY WELDED FRAME TO TONGUE ASSY · GREASE ZERKS ON ALL HUBS · NMMA, NATM CERTIFIED

YACHT CLUB HOT-DIP GALVANIZED FRAME

WC110G*	1/0	1	12' 4"	1200	240	50	4.80x12B
WC112G	1/0	1	14' 3"	1200	240	50	4.80x12B
WC115G	1/0	1	14' 3"	1500	290	52	175/80D13D
WC216G	1/0	2	15' 3"	1570	360	83	5.30x12C
WC224G	1/0	2	16' 7"	2400	575	83	175/80D13D
WC228G	1/1	2	16' 7"	2800	635	83	175/80D13D
WC456TG	2/2 disc	4	29	5600	1040	83	185/R13 alum

* WC110 model is designed for Sea Doo Spark or similar personal watercraft units

· FULLY WELDED FRAME TO TONGUE ASSY · GREASE ZERKS ON ALL HUBS · NMMA, NATM CERTIFIED

YACHT CLUB ALUMINUM TUBE FRAME

WCA112	1/0	1	14' 5"	1200	240	50	4.80x12B
WCA224	1/0	2	15'	2400	575	83	175/80D13D

CONVENIENCE PACKAGES

Part #	DESCRIPTION
CP480-12	Tongue Jack, Spare (4.80x12), U-Bolt Carrier, Retractable Tie-Downs 1"
CP175-13W	Tongue Jack, Spare (175/13C), U-Bolt Carrier, Retractable Tie-Downs 1"
CP480-12W2	Tongue Jack, Spare (4.80x12), U-Bolt Carrier, Retractable Tie-Downs 1"
CP185-13W2	Tongue Jack, Spare (185/13C), U-Bolt Carrier, Retractable Tie-Downs 1"

SHADED MODELS ARE KEPT IN STOCK @ SH DISTRIBUTING

SH Distributing is not responsible for trailers that do not meet brake requirements for the state in which the trailer is sold.

T - (330) 624-2311 F - (330) 624-1111
Email: sales@shdist.com www.shdist.com

PWC TRAILER OPTIONS

Part #	DESCRIPTION
MJ-1206-B	Swivel Jack - 1000 lb (pontoon & all tandem trailers are std w/jacks)
RTD1	Retractable Tie-Downs - 1" - installed (1500 lbs & <)
RTD2	Retractable Tie-Downs - 2" - installed
WC-BS	Bunk Supports (pair, shorter machines on bigger trailers)
SHY5022	Center Walkway Kit - WC224, WC228
SHY5008	Center Walkway Kit - WC224G, WC228G
SHY5009	Center Walkway Kit - WCA224
	Center Walkway Kit - WCA224 - GALV
SHY5034	Storage Box Mount Kit - Includes Hardware - fits all WC trailer model:
PBW-WC1	Poly Bunk Wrap - Single PWC trailer - installed (2 bunks)
PBW-WC2	Poly Bunk Wrap - Double WC212 only - installed (4 bunks)
175/13A UP	Alum Wheels, Radial Tires, Stainless Lugs & Caps Upgr - per axle
SH855	Spare Tire: 4.80x12B Tire: Bias Ply Rim: Silver
	Spare Tire: 5.30x12C Tire: Bias Ply Rim: Silver
SH860	Spare Tire: 175/80D13D Tire: Bias Ply Rim: Silver
SH868	Spare Tire: 185/75R13D Tire: Radial Rim: Aluminum
SH1604	U-Bolt Spare Carrier (to 3" wide, 4" tall frame/tongue w/13" wheel)
SH1605	Side Mount Spare Tire Carrier, 5 lug, up to 5" frame

YACHT CLUB PWC DISPLAY DOLLIES

WCD1	w/4 heavy duty non-marking swivel caster wheels, capacity #1000
------	-----------------------------------------------------------------

SHOREMASTER PWC LIFT (UNASSEMBLED)

STANDARD WITH:

- 15 YEAR STRUCTURAL WARRANTY
- (4) 24" ADJUSTABLE LEGS
- 3" POLY PULLEY w/BRASS INSERT
- FULLY WELDED RACK & SIDES
- STAINLESS STEEL LIFT CABLE
- STAINLESS STEEL BOLTS & WASHERS w/SOLID BRASS NUTS



Part #	Model	Capacity	Std Leg	Inside	Overall	Lift	Material
			Length	Width	Length	Height	
SM-1200PWCBB	1200PWC	1200	24"	64"	77"	28"	Aluminum

SH Distributing is not responsible for trailers that do not meet brake requirements for the state in which the trailer is sold.

T - (330) 624-2311 F - (330) 624-1111
Email: sales@shdist.com www.shdist.com

POLYDOCK SHOREPORT

STANDARD WITH:

- 8 YEAR WARRANTY
- 8" TIE-DOWN CLEAT, STAINLESS HARDWARE
- ADJUSTABLE NEOPRENE ROLLERS w/STAINLESS SHAFTS
- HYDROPHOBIC VENTILATION
- EASILY ATTACH TO LAKE BOTTOM, DOCK OR ANOTHER UNIT
- SUPPLEMENTAL FLOATS INCREASE CAPACITY TO 1,450 LBS.



Available Tan or Gray

Part #	Model	Capacity		Width	Length	Weight	Color
		Std	Max				
1022950	ShorePort	1150	1450	58"	138"	260 #	Tan
1029301	ShorePort	1150	1450	58"	138"	260 #	Gray
Part #	OPTIONS						
1006631	Side Front Connector - 21"						Tan
1029360	Side Front Connector - 21"						Gray
1007016	Side Rear Connector - 12"						Tan
1029385	Side Rear Connector - 12"						Gray
1022952	Large Poly Pipe Brkt*						Tan
1029310	Large Poly Pipe Brkt*						Gray
1022953	Light Duty Poly Pipe Brkt*						Tan
1029312	Light Duty Poly Pipe Brkt*						Gray
1022951	Rear Pipe Brkt						Tan
1029314	Rear Pipe Brkt						Gray
1007736	2" Schedule 40 Galvanized Pipe 7' (2" id, 2 3/8" od)						
1007737	2" Schedule 40 Galvanized Pipe 10' 6" (2" id, 2 3/8" od)						
1002676	2" Schedule 40 Galvanized Pipe 21' (2" id, 2 3/8" od)						
1026396	Inside Pipe Auger for 2" I.D. Pipe (cast)						

* the pipe brackets can be mounted to the front or the side



**2021
DEALER
PRICING**

**2% OFF C.O.D.
* ASSEMBLED *
* FREE FREIGHT ***

T - (330) 624-2311 F - (330) 624-1111
Email: sales@shdist.com www.shdist.com

YACHT CLUB BOAT TRAILERS - BUNK SUPPORT

- TONGUE JACK STANDARD ON TANDEMS
- NMMA, NATM CERTIFIED
- PRE-DRILLED FOR BOLT-ON
- FULLY WELDED FRAME TO TONGUE ASSY
- GREASE ZERKS ON ALL HUBS
- THRU-FRAME SIDE GUIDES

POWDER COATED BLACK FRAME

Model	Axles/ Brakes	Boat Length	Overall Length	Carrying Capacity	Trailer Weight	Between Fender	Tire Size
1610B	1/0	14-16	18' 8"	1000	270	N/A	4.80x12B
1612F	1/0	14-16	18' 1"	1200	300	50	4.80x12B
1612B	1/0	14-16	19'	1200	350	63	4.80x12B
1613B	1/0	14-16	19'	1250	350	63	175/80D13D
1715B	1/0	14.5-16.5	19' 8"	1500	430	64	175/80D13D
1715BW	1/0	14.5-16.5	19' 8"	1500	435	68	175/80D13D
1815B	1/0	16-18	20' 7"	1500	435	64	175/80D13D
1815BW	1/0	16-18	20' 7"	1500	440	68	175/80D13D
1620B	1/0	14-16	18' 6"	2000	500	75	175/80D13D
1820B	1/0	16-18	20' 6"	2000	540	75	175/80D13D
1825B	1/0	16-18	20' 4"	2450	540	82	205/75D14C
1830B	1/1 Drum	16-18		3000	600	82	215/75D14C
1844TB	2/1 Drum	16-18		4400	950	79	175/80D13D
2044TB	2/1 Drum	18-20		4400	970	79	175/80D13D
2056TB	2/1 Disc	18-20		5600	970	79	185/R13 alum
2256TB	2/1 Disc	20-22		5550	1050	79	185/R13 alum
2460TB	2/1 Disc	22-24	28' 2"	6000	1220	82	215/R14 alum
2480TB	2/2 Disc	22-24	28' 2"	8000	1340	82	225/R15 alum
24120TRB	3/3 Disc	22-24	28' 2"	12000	1550	82	225/R15 alum
2680TB	2/2 Disc	24-26	31' 2"	8000	1360	82	225/R15 alum
26120TRB	3/3 Disc	24-26	31' 2"	12000	1600	82	225/R15 alum
2880TB	2/2 Disc	26-28	33' 2"	8000	1400	82	225/R15 alum
28120TRB	3/3 Disc	26-28	33' 2"	12000	1650	82	225/R15 alum

CONVENIENCE PACKAGES

CP480-12	Tongue Jack, Spare (4.80x12), U-Bolt Carrier, Retractable Tie-Downs 1"
CP175-13BS	Tongue Jack, Spare (175/13C), Side Mount Carrier, Retractable T-D's 2"
CP205-14BS	Tongue Jack, Spare (205/14C), Side Mount Carrier, Retractable TD's 2"
CP215-14BS	Tongue Jack, Spare (215/14C), Side Mount Carrier, Retractable TD's 2"
CP175-13P/BT	Spare (175/80D13C), Side Mount Carrier, Retractable Tie-Downs 2"
CP185-13P/BT	Spare (185/80D13D), Side Mount Carrier, Retractable Tie-Downs 2"
CP215-14BT	Spare (215/14C), Side Mount Carrier, Retractable Tie-Downs 2"
CP225-15BT	Spare (225/15D), Side Mount Carrier, Retractable Tie-Downs 2"

Part #	OPTIONS
MJ-1206-B	Swivel Jack - 1000 lb (pontoon & all tandem trailers are std w/jacks)
RTD1	Retractable Tie-Downs - 1" - installed (1500 lbs & <)
RTD2	Retractable Tie-Downs - 2" - installed
SG11	Side Guides - Bunk - 11" Tall Bracket, 32" Bunk, Bolt Thru Frame
SG30-168	Side Guides - Bunk - 30" Tall Brkt, 32" Bunk, U-Bolt to 1 1/2" Frame
SGPVC	Side Guides - Vertical PVC Style - 44"
BOPC	Bolt-On Prop Cage - 20' & 22' models only
	Windless Bow Stop Upgrade - std on 32' & 34' models

Frame size by Cap: 1000 - 1300 1.5x3, 1500 - 2000 2x3, 2500 - 4400 2x4, 5600 - 6500 2x5, 8000 - 10000 3x5, 12000 3x6 - 1610 has adjustable tongue

SH Distributing is not responsible for trailers that do not meet brake requirements for the state in which the trailer is sold.

YACHT CLUB BOAT TRAILERS - BUNK SUPPORT

- TONGUE JACK STANDARD ON TANDEMS
- NMMA, NATM CERTIFIED
- PRE-DRILLED FOR BOLT-ON THRU-FRAME SIDE GUIDES
- FULLY WELDED FRAME TO TONGUE ASSY
- GREASE ZERKS ON ALL HUBS

HOT-DIP GALVANIZED FRAME

Model	Axles/ Brakes	Boat Length	Overall Length	Carrying Capacity	Trailer Weight	Between Fender	Tire Size
1610BG	1/0	14-16	18' 8"	1,000	270	N/A	4.80x12B
1612FG	1/0	14-16	18' 1"	1,200	300	50	4.80x12B
1612BG	1/0	14-16	19'	1,200	350	63	4.80x12B
1613BG	1/0	14-16	19'	1,250	350	63	175/80D13D
1715BG	1/0	14.5-16.5	19' 8"	1,500	430	64	175/80D13D
1715BWG	1/0	14.5-16.5	19' 8"	1,500	435	68	175/80D13D
1815BG	1/0	16-18	20' 7"	1,500	435	64	175/80D13D
1815BWG	1/0	16-18	20' 7"	1,500	440	68	175/80D13D
1620BG	1/0	14-16	18' 6"	2,000	500	75	175/80D13D
1820BG	1/0	16-18	20' 6"	2,000	540	75	175/80D13D
1825BG	1/0	16-18	20' 4"	2,450	540	82	205/75D14C
1830BG	1/1 Drum	16-18		3,000	600	82	215/75D14C
1844TBG	2/1 Drum	16-18		4,400	950	79	175/80D13D
2044TBG	2/1 Drum	18-20		4,400	970	79	175/80D13D
2056TBG	2/1 Disc	18-20		5,600	970	79	185/R13 alum
2256TBG	2/1 Disc	20-22		5,600	1,050	79	185/R13 alum
2460TBG	2/1 Disc	22-24	28' 2"	6,000	1,220	82	215/R14 alum
2480TBG	2/2 Disc	22-24	28' 2"	8,000	1,340	82	225/R15 alum
24120TRBG	3/3 Disc	22-24	28' 2"	12,000	1,550	82	225/R15 alum
2680TBG	2/2 Disc	24-26	31' 2"	8,000	1,360	82	225/R15 alum
26120TBG	3/3 Disc	24-26	31' 2"	12,000	1,600	82	225/R15 alum
2880TBG	2/2 Disc	26-28	33' 2"	8,000	1,400	82	225/R15 alum
28120TRBG	3/3 Disc	26-28	33' 2"	12,000	1,650	82	225/R15 alum
30120TRBG	3/3 Disc	28-30	34' 3"	12,000	1,800	82	225/R15 alum
30149TRBG	3/3 Disc	28-30		14,900	2,790	82	235/R16 alum
30169TRBG	3/3 Disc	28-30		16,900	2,840	82	235/R16 alum
32149TRBG	3/3 Disc	30-32		14,900	2,890	78	235/R16 alum
32169TRBG	3/3 Disc	30-32		16,900	2,940	78	235/R16 alum
34149TRBG	3/3 Disc	32-34		14,900	3,044	78	235/R16 alum
34169TRBG	3/3 Disc	32-34		16,900	3,094	78	235/R16 alum
36146TRBG	3/3 Disc	34-36		14,650	3,294	78	235/R16 alum
36166TRBG	3/3 Disc	34-36		16,650	3,344	78	235/R16 alum

CONVENIENCE PACKAGES - SEE PREVIOUS PAGE FOR CONVENIENCE PACKAGES

Part #	OPTIONS
MJ-1206-B	Swivel Jack - 1000 lb (pontoon & all tandem trailers are std w/jacks)
RTD1	Retractable Tie-Downs - 1" - installed (1500 lbs & <)
RTD2	Retractable Tie-Downs - 2" - installed
SG11G	Side Guides-Bunk-11" Tall Bracket, 32" Bunk, Bolt Thru Frame-Galv
SG30-168G	Side Guides-Bunk-30" Tall Brkt, 32" Bunk, U-Bolt to 1 1/2" Frame-Ga
SGPVC	Side Guides - Vertical PVC Style - 44"
BOPCG	Bolt-On Prop Cage - 20' & 22' models only - Galv
	Windless Bow Stop Upgrade - std on 32', 34' & 36' models - Galv

SH Distributing is not responsible for trailers that do not meet brake requirements for the state in which the trailer is sold.

YACHT CLUB BOAT TRAILERS - BUNK SUPPORT

- TONGUE JACK
- LED LIGHTS
- ALUMINUM WHEELS
- RADIAL TIRES
- HOLE-LESS ADJUSTABLE PLANK BUNK SYSTEM
- TAPERED TONGUE TO FRAME CONNECTION BRKT
- TARGET BUNKS
- DISC BRAKES (not A1825B)
- GREASE ZERKS ON ALL HUBS
- NMMA, NATM CERTIFIED

ALUMINUM I-BEAM FRAME

Model	Axles/ Brakes	Boat Length	Overall Length	Carrying Capacity	Trailer Weight	Between Fender	Tire Size
A1925B	1/0	17 - 19		2,450	540	83	205/R14 alum
A1930B	1/1	17 - 19		3,000	610	83	215/R14 alum
A2156TB	2/1 disc	19 - 21		5,600	940	83	205/R14 alum
A2356TB	2/1 disc	21 - 23		5,600	970	83	205/R14 alum
A2560TB	2/1 disc	23 - 25		6,000	1,050	82	215/R14 alum
A2580TB	2/2 disc	23 - 25		8,000	1,170	82	225/R15 alum
A2780TB	2/2 disc	25 - 27		8,000	1,210	82	225/R15 alum
A2980TB	2/2 disc	27 - 29		8,000	1,907	82	225/R15 alum
A29120TRB	3/3 disc	26 - 29		12,000	1,932	82	225/R15 alum

CONVENIENCE PACKAGES

CP205-14BA Spare (205/75R14 Alum), Side Mount Carrier, Retractable Tie-Downs 2"

CP215-14BA Spare (215/75R14 Alum), Side Mount Carrier, Retractable Tie-Downs 2"

CP225-15BA Spare (225/75R15 Alum), Side Mount Carrier, Retractable Tie-Downs 2"

ALUMINUM I-BEAM OPTIONS

Part #	DESCRIPTION
RTD2	Retractable Tie-Downs - 2" - installed
A10DISC	Add 10" Disc Brakes to 2nd axle - up to 14" wheels
SGPVC	Side Guides - Vertical PVC Style - 44"
SWING-4BRK	Fulton swing tongue - 4" tongue - A2156TB & <
SWING-5BRK	Fulton swing tongue - 5" tongue - A2356TB & A2560TB
SH953	SS Wheel Cap w/Insert & SS Lug Nuts Upgr - 5 Lug Hub - per axle
SH954	SS Wheel Cap w/Insert & SS Lug Nuts Upgr - 6 Lug Hub - per axle
	Spare Tire:
SH920	205/75R14 Tire: Radial Rim: Aluminum
SH921	215/75R14 Tire: Radial Rim: Aluminum
SH922	225/75R15 Tire: Radial Rim: Aluminum
SH1605	Side Mount Spare Tire Carrier, 5 lug, up to 5" frame
SH1605-6	Side Mount Spare Tire Carrier, 5 or 6 lug, > 5" frame / tongue
Frame Size: A9825B - A2156TB 4 1/2", A2356TB 5 1/2", A2560TB - A2780TB 6 1/2", A9880TB & A29120TRB 7 1/2"	
Tongue Size: A1925B - A2156TB 3" x 4" x 11, A2356TB & A2560TB 3" x 5" x 11, A2580TB & > 3" x 5" x 7	

OTHER OPTIONS ON ACCESSORIES PAGE

SHADED MODELS ARE KEPT IN STOCK @ SH DISTRIBUTING

SH Distributing is not responsible for trailers that do not meet brake requirements for the state in which the trailer is sold.

YACHT CLUB BOAT TRAILERS - ROLLER SUPPORT

- TONGUE JACK STANDARD ON ALL TANDEM
- FULLY WELDED FRAME TO TONGUE ASSEMBLY
- GREASE ZERKS ON ALL HUBS
- NMMA, NATM CERTIFIED

POWDER COATED BLACK FRAME

Model	Axles/ Brakes	Boat Length	Overall Length	Carrying Capacity	Trailer Weight	Between Fender	Tire Size
R1612	1/0	14-16	18' 7"	1185	375	51	4.80x12B
R1620	1/0	14-16	18' 3"	2050	500	74	175/80D13D
R1715	1/0	14.5-16.5	19' 5"	1500	450	64	175/80D13D
R1715W	1/0	14.5-16.5	19' 5"	1500	455	68	175/80D13D
R1820	1/0	16-18	20' 4"	2050	520	75	175/80D13D
R1825	1/0	16-18	20' 3"	2450	560	79	205/75D14C
R1830	1/1 Drum	16-18		3000	600	79	215/75D14C
R2050T	2/1 Drum	18-20		5000	970	79	175/80D13D
R2256T	2/1 Disc	20-22		5550	1050	79	185/R13 alum
R2460T	2/1 Disc	22-24		6000	1220	79	215/R14 alum
R2480T	2/2 Disc	22-24		8000	1340	82	225/R15 alum

CONVENIENCE PACKAGES

CP480-12	Tongue Jack, Spare (4.80x12), U-Bolt Carrier, Retractable Tie-Downs 1"
CP175-13BS	Tongue Jack, Spare (175/13C), Side Mount Carrier, Retractable T-D's 2"
CP205-14BS	Tongue Jack, Spare (205/14C), Side Mount Carrier, Retractable TD's 2"
CP215-14BS	Tongue Jack, Spare (215/14C), Side Mount Carrier, Retractable TD's 2"
CP175-13P/BT	Spare (175/80D13C), Side Mount Carrier, Retractable Tie-Downs 2"
CP185-13P/BT	Spare (185/80D13D), Side Mount Carrier, Retractable Tie-Downs 2"
CP215-14BT	Spare (215/14C), Side Mount Carrier, Retractable Tie-Downs 2"
CP225-15BT	Spare (225/15D), Side Mount Carrier, Retractable Tie-Downs 2"

ROLLER SUPPORT OPTIONS

Part #	DESCRIPTION
MJ-1206-B	Swivel Jack - 1000 lb (pontoon & all tandem trailers are std w/jacks)
RTD2	Retractable Tie-Downs - 2" - installed
SG30-168	Side Guides - Bunk - 30" Tall Brkt, 32" Bunk, U-Bolt to 1 1/2" Frame
SG30	Side Guides - Bunk - 30" Tall Brkt, 32" Bunk, U-Bolt to 2" Frame
SG1769	Side Guides - Roller - Single Post Mount, U-Bolt to 2" Frame
	Non-Standard Modification
	Wider or Narrower Frame - 1715BW thru 2256TBP
SPECIAL	Add 10" Drum Brakes to Non-Braking, One Axle
B10DRUM	Add 10" Drum Brakes to 2nd Axle
B10UPDISC	10" Disc Brake Upgrade - in lieu of Drum
B10DISC	Add 10" Disc Brakes to 2nd Axle - up to 14" wheels
Frame Size by Capacity: 1200 1.5x3, 1500 - 2000 2x3, 2500 - 4400 2x4, 5600 - 6000 2x5, 8000 - 10000 3x5, R3080T - 12000 3x6	

OTHER OPTIONS ON ACCESSORIES PAGE

SH Distributing is not responsible for trailers that do not meet brake requirements for the state in which the trailer is sold.

YACHT CLUB BOAT TRAILERS - ROLLER SUPPORT

- **TONGUE JACK STANDARD ON ALL TANDEM**
- **FULLY WELDED FRAME TO TONGUE ASSEMBLY**
- **GREASE ZERKS ON ALL HUBS**
- **NMMA, NATM CERTIFIED**

HOT-DIP GALVANIZED FRAME

Model	Axles/ Brakes	Boat Length	Overall Length	Carrying Capacity	Trailer Weight	Between Fender	Tire Size
R1612G	1/0	14-16	18' 7"	1185	375	51	4.80x12B
R1620G	1/0	14-16	18' 3"	2050	500	74	175/80D13D
R1715G	1/0	14.5-16.5	19' 5"	1500	450	64	175/80D13D
R1715WG	1/0	14.5-16.5	19' 5"	1500	455	68	175/80D13D
R1820G	1/0	16-18	20' 4"	2050	520	75	175/80D13D
R1825G	1/0	16-18	20' 3"	2450	560	79	205/75D14C
R1830G	1/1 Drum	16-18		3000	600	79	215/75D14C
R2050TG	2/1 Drum	18-20		5000	970	79	175/80D13D
R2256TG	2/1 Disc	20-22		5550	1050	79	185/R13 alum
R2460TG	2/1 Disc	22-24		6000	1220	79	215/R14 alum
R2480TG	2/2 Disc	22-24		8000	1340	82	225/R15 alum

CONVENIENCE PACKAGES

CP480-12	Tongue Jack, Spare (4.80x12), U-Bolt Carrier, Retractable Tie-Downs 1"
CP175-13BS	Tongue Jack, Spare (175/13C), Side Mount Carrier, Retractable T-D's 2"
CP205-14BS	Tongue Jack, Spare (205/14C), Side Mount Carrier, Retractable TD's 2"
CP215-14BS	Tongue Jack, Spare (215/14C), Side Mount Carrier, Retractable TD's 2"
CP175-13P/BT	Spare (175/80D13C), Side Mount Carrier, Retractable Tie-Downs 2"
CP185-13P/BT	Spare (185/80D13D), Side Mount Carrier, Retractable Tie-Downs 2"
CP215-14BT	Spare (215/14C), Side Mount Carrier, Retractable Tie-Downs 2"
CP225-15BT	Spare (225/15D), Side Mount Carrier, Retractable Tie-Downs 2"

ROLLER SUPPORT OPTIONS

Part #	DESCRIPTION
MJ-1206-B	Swivel Jack - 1000 lb (pontoon & all tandem trailers are std w/jacks)
RTD2	Retractable Tie-Downs - 2" - installed
SG30-168G	Side Guides-Bunk-30" Tall Brkt, 32" Bunk, U-Bolt to 1 1/2" Frame-Ga
SG30G	Side Guides-Bunk-30" Tall Brkt, 32" Bunk, U-Bolt to 2" Frame-Galv
SG1769G	Side Guides - Roller - Single Post Mount, U-Bolt to 2" Frame-Galv
	Non-Standard Modification
	Wider or Narrower Frame - 1715BW thru 2256TBP
SPECIAL	Add 10" Drum Brakes to Non-Braking, One Axle - Galv
B10DRUMG	Add 10" Drum Brakes to 2nd Axle - Galv
B10UPDISCG	10" Disc Brake Upgrade - in lieu of Drum - Galv
B10DISCG	Add 10" Disc Brakes to 2nd Axle - up to 14" wheels - Galv
Frame Size by Capacity: 1200 1.5x3, 1500 - 2000 2x3, 2500 - 4400 2x4, 5600 - 6000 2x5, 8000 - 10000 3x5, R3080T - 12000 3x6	

OTHER OPTIONS ON ACCESSORIES PAGE

SH Distributing is not responsible for trailers that do not meet brake requirements for the state in which the trailer is sold.

YACHT CLUB OPTIONS

BOAT BRAND SPECIFIC DECALS - INSTALLED

Alumacraft	Chris Craft	Crownline	Regal
Chaparral	Cobalt	Cruisers Sport	Stingray

Part #	MODIFICATION
--------	--------------

Non-Standard Modifications

Part #	POLY BUNK WRAP (black)
--------	------------------------

SH1455 Poly Bunk Wrap Per ft. - installed

SH1456 Poly Bunk Wrap End Caps (each)

PBW(length) Pontoon - installed (4) bunks

PBW(length)TR Pontoon - installed (6) bunks

PBW-TRIEXT Trikit - installed (2) 3' bunks

PBW-TRIKIT-7 Trikit - installed (2) 7' bunks

PBW-TRIKIT Trikit - installed (2) 12' bunks

PBWB8 Boat Trailer - installed (2) bunks - 1612B thru 1820B

Part #	BRAKE OPTIONS
--------	---------------

Electric/Hydraulic Brake Kit w/Battery (add to trailer w/disc brakes)

SPECIAL Add 10" Drum Brakes to Non-Braking, One Axle

SPECIAL Add 10" Drum Brakes to Non-Braking, One Axle - Galv

B10DRUM Add 10" Drum Brakes to 2nd Axle

B10DRUMG Add 10" Drum Brakes to 2nd Axle - Galv

B10UPDISC 10" Disc Brake Upgrade - in lieu of Drum

B10UPDISCG 10" Disc Brake Upgrade - in lieu of Drum - Galv

B10DISC Add 10" Disc Brakes to 2nd Axle - up to 14" wheels

B10DISCG Add 10" Disc Brakes to 2nd Axle - up to 14" wheels - Galv

Part #	TONGUE JACKS
--------	--------------

MJ-1206-B Swivel Jack - 1000 lb (pontoon & all tandem trailers are std w/jacks)

Bulk Quantity loose 1 - 24 - price for each

25 - 99 - price for each

100 pack - price for each

MJ-1500-DWL Swivel Jack - 1500 lb - Double Wheel

TJUP-DW Swivel Jack - 1500 lb - Double Wheel - Upgrade

TJUP-PAD Drop Leg Pad Jack - 2500 lb - Upgrade

Part #	SWING TONGUES
--------	---------------

Usually shortens the trailer by 2' on a non-braking model, and 2' 6" on a trailer with brakes. Specific lengths may be available upon request.

SWING3 Fulton Swing Tongue, 3", ≤ 2000 lb Carrying Cap - installed

SWING-3 Kit only loose

SWING4 Fulton Swing Tongue, 4", ≤ 5000 lb Carrying Cap - installed

SWING4-BRK Fulton Swing Tongue, 4", Brakes, ≤ 5000# Carrying Cap - installed

SWING-4 Kit only loose

SWING5-BRK Fulton Swing Tongue, 5", Brakes, ≤ 6600# Carrying Cap - installed

SWING-5 Kit only loose

Special Order Factory Welded - ≤ 5000# Carrying Capacity

T - (330) 624-2311 F - (330) 624-1111
Email: sales@shdist.com www.shdist.com

YACHT CLUB OPTIONS - continued


Part #	TIRE & RIM UPGRADES - per axle
SH953	SS Wheel Cap w/Insert & SS Lug Nuts Upgr - 5 Lug Hub - per axle
SH954	SS Wheel Cap w/Insert & SS Lug Nuts Upgr - 6 Lug Hub - per axle
145/12 UP	Alum Wheels (not stainless steel lugs or caps) Upgrade - per axle
175, 185/13A UP	Alum Wheels, Radial Tires, SS Lugs & Caps Upgrade - per axle
205, 215/14A UP	Alum Wheels, Radial Tires, SS Lugs & Caps Upgrade - per axle
225/15A UP	Alum Wheels, Radial Tires, SS Lugs & Caps Upgrade - per axle

Part #	SPARE TIRES	
SH855	4.80x12B	Tire: Bias Ply Rim: Silver
SH857	5.30x12C	Tire: Bias Ply Rim: Silver
SH871	145/R12RE	Tire: Radial Rim: Silver
SH860	175/80D13C	Tire: Bias Ply Rim: Silver
SH868	185/75D13C	Tire: Bias Ply Rim: Silver
SH1211	185/80D13D	Tire: Bias Ply Rim: Silver
SH862	205/75D14C	Tire: Bias Ply Rim: Silver
SH863	215/75D14C	Tire: Bias Ply Rim: Silver
SH864	225/75D15D	Tire: Bias Ply Rim: Silver
SH919	145/R12E	Tire: Radial Rim: Aluminum
SH918	175/80R13	Tire: Radial Rim: Aluminum
SH1212	185/80R13	Tire: Radial Rim: Aluminum
SH920	205/75R14	Tire: Radial Rim: Aluminum
SH921	215/75R14	Tire: Radial Rim: Aluminum
SH922	225/75R15	Tire: Radial Rim: Aluminum
SH865	235/80R16	Tire: Radial Rim: Aluminum

Part #	SPARE TIRE CARRIERS
SH1604	U-Bolt Spare Carrier (to 3" wide, 4" tall frame/tongue w/13" wheel)
SH1605	Side Mount Spare Tire Carrier, 5 lug, up to 5" frame
SH1605-6	Side Mount Spare Tire Carrier, 5 or 6 lug, > 5" frame / tongue

CONVENIENCE PACKAGE KEY

CP Convenience Package	W Watercraft trailer	BT Boat trailer Tandem axle
P Pontoon	W2 Watercraft trailer 2 place	BA Boat trailer Aluminum wheel
PA Pontoon trailer Aluminum wheel	BS Boat trailer Single axle	



CP Convenience Package **175-13** tire size **P** Pontoon (and / or) **BT** Boat trailer Tandem axle

SH Distributing is not responsible for trailers that do not meet brake requirements for the state in which the trailer is sold.

HOOSIER PONTOON TRAILERS - CLASSIC ROUND TUBE FRAME - DECK SUPPORT

- TONGUE JACK - 1200 LB CAPACITY
- LED LIGHTING SYSTEM
- LEAF SPRINGS
- REMOVEABLE TONGUE ASSEMBLY
- 48" TOP FRAME WIDTH

ELECTROCOAT BLACK FRAME

Model	Axles/ Brakes	Boat Length	Overall Length	Carrying Capacity	Trailer Weight	Bed Length	Tire Size
SL650N	1/0	16 - 18	24	2000	480	16.5	145R12D Galv
SL650BRN	1/1 drum	16 - 18	24	2000		16.5	145R12D Galv
HDSL650N*	1/0	16 - 18	24	2000		16.5	145R12D Galv
TA650N	2/0	16 - 18	24	3500	605	16.5	145R12D Galv
TA650BRN	2/2 drum	16 - 18	24	3500		16.5	145R12D Galv
HDTA650N	2/0	16 - 18	24	3500		16.5	145R12D Galv
SL700N	1/0	20 - 24	28	2000	525	21	145R12D Galv
SL700BRN	1/1 drum	20 - 24	28	2000		21	145R12D Galv
HDSL700N*	1/0	20 - 24	28	2000		21	145R12D Galv
TA700N	2/0	20 - 24	28	3500	620	21	145R12D Galv
TA700BRN	2/2 drum	20 - 24	28	3500		21	145R12D Galv
HDTA700N	2/0	20 - 24	28	3500		21	145R12D Galv
TA725N	2/0	24 - 26	32	3500	710	25	145R12D Galv
TA725BRN	2/2 drum	24 - 26	32	3500		25	145R12D Galv
HDTA725N	2/0	24 - 26	32	3500		25	145R12D Galv
3TA725N	3/0	24 - 26	32	6000	835	25	145R12D Galv
3TA725BRN	3/2 drum	24 - 26	32	6000		25	145R12D Galv

* HDSL models come with a 1500# brake winch

Upgrade

Designation	UPGRADE FEATURES
3	3rd Axle Brakes - All Triple Axles w/2 Axle Brakes, drum or disc
Part #	OPTIONS
	145R12D Spare Tire & Galvanized Wheel w/Bracket
H24SRK	2 x 4 Siderail Kit
HFLWS	Front Loading Winch Stand w/Winch & Strap
	5500# Electric Winch w/Battery Pan
	Custom Aluminum Wheel w/12" Radial Tire (per axle)

SHADED MODELS ARE KEPT IN STOCK @ SH DISTRIBUTING

T - (330) 624-2311 F - (330) 624-1111
Email: sales@shdist.com www.shdist.com

HOOSIER PONTOON TRAILERS - BOX TUBE FRAME - DECK SUPPORT

- TONGUE JACK - 1200 LB CAPACITY
- RUBBER TORSION AXLES
- 44" TOP FRAME WIDTH
- LED LIGHTING SYSTEM
- BRAKE WINCH - 1500 LB CAPACITY

ELECTROCOAT BLACK FRAME

Model	Axles/ Brakes	Boat Length	Overall Length	Carrying Capacity	Trailer Weight	Bed Length	Tire Size
BX120N	1/0	18 - 22	28	2000	610	20.8	145R12D Galv
BX120BRN	1/1 disc	18 - 22	28	2000		20.8	145R12D Galv
BX220N	2/0	18 - 22	28	4000	810	20.8	145R12D Galv
BX220BRN	2/2 disc	18 - 22	28	4000		20.8	145R12D Galv
BX124N	1/0	22 - 26	32	2000	710	24.8	145R12D Galv
BX124BRN	1/1 disc	22 - 26	32	2000		24.8	145R12D Galv
BX224N	2/0	22 - 26	32	4000	910	24.8	145R12D Galv
BX224BRN	2/2 disc	22 - 26	32	4000		24.8	145R12D Galv
BX324N	3/0	22 - 26	32	6000		24.8	145R12D Galv
BX324BRN	3/2 disc	22 - 26	32	6000		24.8	145R12D Galv
BX228N	2/0	26 - 30	36	4000	1075	28.8	145R12D Galv
BX228BRN	2/2 disc	26 - 30	36	4000		28.8	145R12D Galv
BX328N	3/0	26 - 30	36	6000	1215	28.8	145R12D Galv
BX328BRN	3/2 disc	26 - 30	36	6000		28.8	145R12D Galv

HOT-DIP GALVANIZED FRAME

BX120NG	1/0	18 - 22	28	2000	610	20.8	145R12D Galv
BX120BRNG	1/1 disc	18 - 22	28	2000		20.8	145R12D Galv
BX220NG	2/0	18 - 22	28	4000	810	20.8	145R12D Galv
BX220BRNG	2/2 disc	18 - 22	28	4000		20.8	145R12D Galv
BX124NG	1/0	22 - 26	32	2000	710	24.8	145R12D Galv
BX124BRNG	1/1 disc	22 - 26	32	2000		24.8	145R12D Galv
BX224NG	2/0	22 - 26	32	4000	910	24.8	145R12D Galv
BX224BRNG	2/2 disc	22 - 26	32	4000		24.8	145R12D Galv
BX324NG	3/0	22 - 26	32	6000		24.8	145R12D Galv
BX324BRNG	3/2 Disc	22 - 26	32	6000		24.8	145R12D Galv
BX228NG	2/0	26 - 30	36	4000	1075	28.8	145R12D Galv
BX228BRNG	2/2 disc	26 - 30	36	4000		28.8	145R12D Galv
BX328NG	3/0	26 - 30	36	6000	1215	28.8	145R12D Galv
BX328BRNG	3/2 Disc	26 - 30	36	6000		28.8	145R12D Galv

Upgrade

Designation	UPGRADE FEATURES
3	3rd Axle Brakes - All Triple Axles w/2 Axle Brakes drum or disc
H	Hydraulic Lift Assembly

Part #
OPTIONS

	145R12D Spare Tire & Galvanized Wheel w/Bracket
H24SRK	2 x 4 Siderail Kit
H24SRKG	2 x 4 Siderail Kit - Galv
HFLWS	Front Loading Winch Stand w/Winch
HFLWSG	Front Loading Winch Stand w/Winch - Galv
	5500# Electric Winch w/Battery Pan
	Custom Aluminum Wheel w/12" Radial Tire (per axle)

SH Distributing is not responsible for trailers that do not meet brake requirements for the state in which the trailer is sold.

HOOSIER PONTOON TRAILERS - BOX TUBE FRAME - DECK SUPPORT MANUAL CRANK LIFT - TRITON

- TONGUE JACK - 1500 LB CAPACITY
- LEAF SPRINGS
- 46" TOP FRAME WIDTH
- LED LIGHTING SYSTEM
- BRAKE WINCH - 1500 LB CAPACITY

ELECTROCOAT BLACK FRAME

Model	Axles/ Brakes	Boat Length	Overall Length	Carrying Capacity	Trailer Weight	Bed Length	Tire Size				
BX122TT-C	1/0	18 - 22	28	2000		22	145R12D Galv				
BX122BRTT-C	1/1 drum	18 - 22	28	2000		22	145R12D Galv				
BX222TT-C	2/0	18 - 22	28	3500		22	145R12D Galv				
BX222BRTT-C	2/2 drum	18 - 22	28	3500		22	145R12D Galv				
BX225TT-C	2/0	22 - 26	30	3700		25	145R12D Galv	\$4,534	\$3,250	\$3,136	\$3,023
BX225BRTT-C	2/2 drum	22 - 26	30	3700		25	145R12D Galv				
BX325TT-C	3/0	22 - 26	30	5500		25	145R12D Galv				
BX325BRTT-C	3/2 drum	22 - 26	30	5500		25	145R12D Galv				
BX228TT-C	2/0	26 - 29	32	3700		28	145R12D Galv				
BX228BRTT-C	2/2 drum	26 - 29	32	3700		28	145R12D Galv				
BX328TT-C	3/0	26 - 29	32	5500		28	145R12D Galv				
BX328BRTT-C	3/2 drum	26 - 29	32	5500		28	145R12D Galv				

HOT-DIP GALVANIZED FRAME

BX122TTG-C	1/0	18 - 22	28	2000		22	145R12D Galv				
BX122BRTTG-C	1/1 drum	18 - 22	28	2000		22	145R12D Galv				
BX222TTG-C	2/0	18 - 22	28	3500		22	145R12D Galv				
BX222BRTTG-C	2/2 drum	18 - 22	28	3500		22	145R12D Galv				
BX225TTG-C	2/0	22 - 26	30	3700		25	145R12D Galv				
BX225BRTTG-C	2/2 drum	22 - 26	30	3700		25	145R12D Galv				
BX325TTG-C	3/0	22 - 26	30	5500		25	145R12D Galv				
BX325BRTTG-C	3/2 drum	22 - 26	30	5500		25	145R12D Galv				
BX228TTG-C	2/0	26 - 29	32	3700		28	145R12D Galv				
BX228BRTTG-C	2/2 drum	26 - 29	32	3700		28	145R12D Galv				
BX328TTG-C	3/0	26 - 29	32	5500		28	145R12D Galv				
BX328BRTTG-C	3/2 drum	26 - 29	32	5500		28	145R12D Galv				

Upgrade

Designation	UPGRADE FEATURES
3	3rd Axle Brakes - All Triple Axles w/2 Axle Brakes drum or disc
W	LCT Pkg (Larger Center Tube -frame 2" wider - 48" & 4x4 top rail kit)*
N	Canadian Narrow Package (frame width 2" narrower - 44")

Part #
OPTIONS

	145R12D Spare Tire & Galvanized Wheel w/Bracket
H24SRK	2 x 4 Siderail Kit
H24SRKG	2 x 4 Siderail Kit - Galv
HFLWS	Front Loading Winch Stand w/Winch
HFLWSG	Front Loading Winch Stand w/Winch - Galv
	Custom Aluminum Wheel w/12" Radial Tire (per axle)

* n/a on BX122 or BX222 models

SHADED MODELS ARE KEPT IN STOCK @ SH DISTRIBUTING

SH Distributing is not responsible for trailers that do not meet brake requirements for the state in which the trailer is sold.

T - (330) 624-2311 F - (330) 624-1111
Email: sales@shdist.com www.shdist.com

HOOSIER PONTOON TRAILERS - BOX TUBE FRAME - DECK SUPPORT HYDRAULIC LIFT - TRITON

- **TONGUE JACK - 1500 LB CAPACITY** · **LEAF SPRINGS** · **46" TOP FRAME WIDTH**
- **LED LIGHTING SYSTEM** · **HYDRAULIC LIFT SYSTEM**

ELECTROCOAT BLACK FRAME

Model	Axles/ Brakes	Boat Length	Overall Length	Carrying Capacity	Trailer Weight	Bed Length	Tire Size
BX122TT-H	1/0	18 - 22	28	2000		22	145R12D Galv
BX122BRTT-H	1/1 drum	18 - 22	28	2000		22	145R12D Galv
BX222TT-H	2/0	18 - 22	28	3500		22	145R12D Galv
BX222BRTT-H	2/2 drum	18 - 22	28	3500		22	145R12D Galv
BX225TT-H	2/0	22 - 26	30	3700	1200	25	145R12D Galv
BX225BRTT-H	2/2 drum	22 - 26	30	3700		25	145R12D Galv
BX325TT-H	3/0	22 - 26	30	5500	1350	25	145R12D Galv
BX325BRTT-H	3/2 drum	22 - 26	30	5500		25	145R12D Galv
BX228TT-H	2/0	26 - 29	32	3700	1400	28	145R12D Galv
BX228BRTT-H	2/2 drum	26 - 29	32	3700		28	145R12D Galv
BX328TT-H	3/0	26 - 29	32	5500	1550	28	145R12D Galv
BX328BRTT-H	3/2 drum	26 - 29	32	5500		28	145R12D Galv

HOT-DIP GALVANIZED FRAME

BX122TTG-H	1/0	18 - 22	28	2000		22	145R12D Galv
BX122BRTTG-H	1/1 drum	18 - 22	28	2000		22	145R12D Galv
BX222TTG-H	2/0	18 - 22	28	3500		22	145R12D Galv
BX222BRTTG-H	2/2 drum	18 - 22	28	3500		22	145R12D Galv
BX225TTG-H	2/0	22 - 26	30	3700	1200	25	145R12D Galv
BX225BRTTG-H	2/2 drum	22 - 26	30	3700		25	145R12D Galv
BX325TTG-H	3/0	22 - 26	30	5500	1350	25	145R12D Galv
BX325BRTTG-H	3/2 drum	22 - 26	30	5500		25	145R12D Galv
BX228TTG-H	2/0	26 - 29	32	3700	1400	28	145R12D Galv
BX228BRTTG-H	2/2 drum	26 - 29	32	3700		28	145R12D Galv
BX328TTG-H	3/0	26 - 29	32	5500	1550	28	145R12D Galv
BX328BRTTG-H	3/2 drum	26 - 29	32	5500		28	145R12D Galv

Upgrade

Designation	UPGRADE FEATURES
3	3rd Axle Brakes - All Triple Axles w/2 Axle Brakes drum or disc
W	LCT Pkg (Larger Center Tube -frame 2" wider - 48" & 4x4 toprail kit)*
N	Canadian Narrow Package (frame width 2" narrower - 44")

Part

OPTIONS

	145R12D Spare Tire & Galvanized Wheel w/Bracket
H24SRK	2 x 4 Siderail Kit
H24SRKG	2 x 4 Siderail Kit - Galv
HFLWS	Front Loading Winch Stand w/Winch
HFLWSG	Front Loading Winch Stand w/Winch - Galv
	Custom Aluminum Wheel w/12" Radial Tire (per axle)

* n/a on BX122 or BX222 models

SH Distributing is not responsible for trailers that do not meet brake requirements for the state in which the trailer is sold.